



<b>Product / Process Change Notification (PCN)</b>		
<input type="checkbox"/> Major Change <input checked="" type="checkbox"/> Minor Change		
<b>PCN Number:</b> PCN_WSEN-ISDS_20241022  <b>Affected Series:</b> WSEN-ISDS  <b>Affected Order Codes:</b> 2536030320001, 25360303200011  <b>PCN Date:</b> 2024-07-22 (YYYY-MM-DD) <b>Effective Date:</b> 2024-10-22 (YYYY-MM-DD)	<b>Change Category:</b> <input type="checkbox"/> Equipment/Location <input checked="" type="checkbox"/> General Data <input type="checkbox"/> Material <input type="checkbox"/> Process <input type="checkbox"/> Product Design <input type="checkbox"/> Shipping/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> Software	
<b>Contact:</b> Product Management <b>Phone:</b> +49 (0) 7942 - 945 5001 <b>Fax:</b> +49 (0) 7942 - 945 5179 <b>E-Mail:</b> pcn.eisos@we-online.com	<b>Datasheet Change:</b> <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No  <b>Attachment:</b> <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	
<b>Description of Change:</b> As a datasheet information amendment, Würth Elektronik eiSos will update the following: <ul style="list-style-type: none"> <li>Packaging drawing and specification of the tape (only applicable for 2536030320001) – The drawing of the tape and the dimensions are corrected.</li> <li>Figure showing the sensing axes of the sensor (applicable for 2536030320001, 25360303200011) – Figure is corrected.</li> <li>Packaging specification of the reel (only applicable for 25360303200011) – One of the reel dimensions is corrected.</li> </ul> <p>This is a datasheet correction only. There will be no change in form, fit, function, quality or reliability of the product.</p>		
<b>Details of Change:</b>  <u>Change 1 –Packaging drawing and specification change: (2536030320001)</u>		
	<b>Before Change</b>	<b>After Change</b>
AO	2.84 mm (Tolerance = typ.)	2.75 mm (Tolerance = +0.15)
BO	3.35 mm (Tolerance =typ.)	3.45 mm (Tolerance = +0.15)
W	8 mm (Tolerance = +0.3/-0.1)	8 mm (Tolerance = ±0.3)
T	0.30 mm (Tolerance = ref.)	0.25 mm (Tolerance = ±0.02)

