



Product / Process Change Notification (PCN)	
<input checked="" type="checkbox"/> Major Change <input type="checkbox"/> Minor Change	
PCN Number: PCN_IndASI_20250108 Affected Series: WE-ASI Affected Order Codes: Please see table below in "Details of Change" PCN Date: 2024-10-08 (YYYY-MM-DD) Effective Date: 2025-01-08 (YYYY-MM-DD)	Change Category: <input type="checkbox"/> Equipment/Location <input type="checkbox"/> General Data <input type="checkbox"/> Material <input checked="" type="checkbox"/> Process <input checked="" type="checkbox"/> Product Design <input type="checkbox"/> Shipping/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> Software
Contact: Product Management Phone: +49 (0) 7942 - 945 5001 Fax: +49 (0) 7942 - 945 5179 E-Mail: pcn.eisos@we-online.com	Datasheet Change: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No Attachment: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No
Description of Change: In order to enhance the product reliability, Würth Elektronik eiSos will change the marking method from ink-marking to laser-marking. There will be no change in form, fit, function, quality or reliability of the product. The new revision of the affected order codes will be sent out after the previous revision is out of stock (according to FIFO - first-in, first-out).	

Details of Change:





Affected order codes:





744775318	744775330	744775347	744775360	744775380
744776333	744776347	744776360	744776381	

Marking Change:

The marking method will change from ink-marking to laser-marking.

Order codes 7447753xx

	Before Change	After Change
Picture from article surface:		
Picture from article placed in tape:		

Order codes 7447763xx														
	Before Change		After Change											
Picture from article surface:														
Picture from article placed in tape:														
<p>Reliability / Qualification of Change: An additional reliability testing was performed and approved. Additional details of the tests can be found in the table below:</p> <table border="1"> <thead> <tr> <th>Test Item</th> <th>Sample Size</th> <th>Reference</th> <th>Test Conditions</th> <th>Acceptance</th> </tr> </thead> <tbody> <tr> <td>Visual Appearance</td> <td>10</td> <td>Product specification</td> <td>Room temperature</td> <td>Approved</td> </tr> </tbody> </table>					Test Item	Sample Size	Reference	Test Conditions	Acceptance	Visual Appearance	10	Product specification	Room temperature	Approved
Test Item	Sample Size	Reference	Test Conditions	Acceptance										
Visual Appearance	10	Product specification	Room temperature	Approved										