



Product / Process Change Notification (PCN)																
<input type="checkbox"/> Major Change <input checked="" type="checkbox"/> Minor Change																
PCN Number: PCN_IndXHMA_20250228 Affected Series: WE-XHMA Affected Order Codes: Please refer to table 1 PCN Date: 2024-08-28 (YYYY-MM-DD) Effective Date: 2025-02-28 (YYYY-MM-DD)	Change Category: <input type="checkbox"/> Equipment/Location <input type="checkbox"/> General Data <input type="checkbox"/> Material <input type="checkbox"/> Process <input type="checkbox"/> Product Design <input checked="" type="checkbox"/> Shipping/Packaging <input type="checkbox"/> Supplier <input type="checkbox"/> Software															
Contact: Product Management Phone: +49 (0) 7942 - 945 5001 Fax: +49 (0) 7942 - 945 5179 E-Mail: pcn.eisos@we-online.com	Datasheet Change: <input checked="" type="checkbox"/> Yes <input type="checkbox"/> No Attachment: <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No															
Description of Change: Due to packaging optimizations, Würth Elektronik eiSos will change the product's packing method. Würth Elektronik eiSos will ensure some datasheet corrections for the product series WE-XHMA with sizes and order codes indicated in table 1. There will be no change in form, fit, function, quality, or reliability of the product. The new revision of the affected order codes will be sent out after the previous revision is out of stock (according to FIFO - first-in, first-out).																
Details of Change: Table 1. Affected Order Codes																
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="5" style="text-align: left; padding: 2px;">a. Order codes for size 6030:</th> </tr> </thead> <tbody> <tr> <td style="width: 20%; padding: 2px;">784393440018</td> <td style="width: 20%; padding: 2px;">784393440033</td> <td style="width: 20%; padding: 2px;">784393440056</td> <td style="width: 20%; padding: 2px;">78439344010</td> <td style="width: 20%; padding: 2px;">78439344012</td> </tr> <tr> <td style="padding: 2px;">78439344022</td> <td style="padding: 2px;">78439344033</td> <td style="padding: 2px;">78439344047</td> <td style="padding: 2px;"></td> <td style="padding: 2px;"></td> </tr> </tbody> </table>		a. Order codes for size 6030:					784393440018	784393440033	784393440056	78439344010	78439344012	78439344022	78439344033	78439344047		
a. Order codes for size 6030:																
784393440018	784393440033	784393440056	78439344010	78439344012												
78439344022	78439344033	78439344047														
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th colspan="5" style="text-align: left; padding: 2px;">b. Order codes for size 6060:</th> </tr> </thead> <tbody> <tr> <td style="width: 20%; padding: 2px;">78439346047</td> <td style="width: 20%; padding: 2px;">78439346056</td> <td style="width: 20%; padding: 2px;">78439346068</td> <td style="width: 20%; padding: 2px;">78439346082</td> <td style="width: 20%; padding: 2px;">78439346100</td> </tr> <tr> <td style="padding: 2px;">78439346150</td> <td style="padding: 2px;"></td> <td style="padding: 2px;"></td> <td style="padding: 2px;"></td> <td style="padding: 2px;"></td> </tr> </tbody> </table>		b. Order codes for size 6060:					78439346047	78439346056	78439346068	78439346082	78439346100	78439346150				
b. Order codes for size 6060:																
78439346047	78439346056	78439346068	78439346082	78439346100												
78439346150																

c. Order codes for size 8080:

78439358010	78439358022	78439358047	78439358068	78439358100
78439358150				

d. Order codes for size 1090:



78439369022	78439369033	78439369047	78439369056	78439369068
78439369082	78439369100	78439369150		



e. Order codes for size 1510:

78439370047	78439370068	78439370082	78439370100	78439370150
78439370220	78439370330			

1. To reduce the amount of packaging waste in the product series WE-XHMA, with sizes and order codes indicated in table 1, the inner boxes will be omitted. No plastic filler will be used, and every reel will be stacked and separated by paperboard. The outer box dimension, reel quantity (pcs.), and box quantity (pcs.) will be updated accordingly. Additional details of the changes can be found in the table below:

Table 2. Packaging Changes of affected Order Codes

	Before Change	After Change
Datasheet packing drawings		

<p>Overview of inner packing change</p>																		
<p>Packaging specifications for size 6030 (Table 1 section a)</p>	<table border="1"> <tr><td>L_c (mm)</td><td>360,00</td></tr> <tr><td>W_c (mm)</td><td>360,00</td></tr> <tr><td>H_c (mm)</td><td>370,00</td></tr> <tr><td>Outer Box Qty.(pcs.)</td><td>9000</td></tr> </table>	L _c (mm)	360,00	W _c (mm)	360,00	H _c (mm)	370,00	Outer Box Qty.(pcs.)	9000	<table border="1"> <tr><td>L_c (mm)</td><td>360,00</td></tr> <tr><td>W_c (mm)</td><td>360,00</td></tr> <tr><td>H_c (mm)</td><td>240,00</td></tr> <tr><td>Outer Box Qty.(pcs.)</td><td>9000</td></tr> </table>	L _c (mm)	360,00	W _c (mm)	360,00	H _c (mm)	240,00	Outer Box Qty.(pcs.)	9000
L _c (mm)	360,00																	
W _c (mm)	360,00																	
H _c (mm)	370,00																	
Outer Box Qty.(pcs.)	9000																	
L _c (mm)	360,00																	
W _c (mm)	360,00																	
H _c (mm)	240,00																	
Outer Box Qty.(pcs.)	9000																	
<p>Packaging specifications for size 6060 (Table 1 section b)</p>	<table border="1"> <tr><td>L_c (mm)</td><td>360,00</td></tr> <tr><td>W_c (mm)</td><td>360,00</td></tr> <tr><td>H_c (mm)</td><td>370,00</td></tr> <tr><td>Outer Box Qty.(pcs.)</td><td>4800</td></tr> </table>	L _c (mm)	360,00	W _c (mm)	360,00	H _c (mm)	370,00	Outer Box Qty.(pcs.)	4800	<table border="1"> <tr><td>L_c (mm)</td><td>360,00</td></tr> <tr><td>W_c (mm)</td><td>360,00</td></tr> <tr><td>H_c (mm)</td><td>240,00</td></tr> <tr><td>Outer Box Qty.(pcs.)</td><td>6300</td></tr> </table>	L _c (mm)	360,00	W _c (mm)	360,00	H _c (mm)	240,00	Outer Box Qty.(pcs.)	6300
L _c (mm)	360,00																	
W _c (mm)	360,00																	
H _c (mm)	370,00																	
Outer Box Qty.(pcs.)	4800																	
L _c (mm)	360,00																	
W _c (mm)	360,00																	
H _c (mm)	240,00																	
Outer Box Qty.(pcs.)	6300																	
<p>Packaging specifications for size 8080 (Table 1 section c)</p>	<table border="1"> <tr><td>L_c (mm)</td><td>360,00</td></tr> <tr><td>W_c (mm)</td><td>360,00</td></tr> <tr><td>H_c (mm)</td><td>370,00</td></tr> <tr><td>Outer Box Qty.(pcs.)</td><td>2400</td></tr> </table>	L _c (mm)	360,00	W _c (mm)	360,00	H _c (mm)	370,00	Outer Box Qty.(pcs.)	2400	<table border="1"> <tr><td>L_c (mm)</td><td>360,00</td></tr> <tr><td>W_c (mm)</td><td>360,00</td></tr> <tr><td>H_c (mm)</td><td>240,00</td></tr> <tr><td>Outer Box Qty.(pcs.)</td><td>3000</td></tr> </table>	L _c (mm)	360,00	W _c (mm)	360,00	H _c (mm)	240,00	Outer Box Qty.(pcs.)	3000
L _c (mm)	360,00																	
W _c (mm)	360,00																	
H _c (mm)	370,00																	
Outer Box Qty.(pcs.)	2400																	
L _c (mm)	360,00																	
W _c (mm)	360,00																	
H _c (mm)	240,00																	
Outer Box Qty.(pcs.)	3000																	
<p>Packaging specifications for size 1090 (Table 1 section d)</p>	<table border="1"> <tr><td>L_c (mm)</td><td>360,00</td></tr> <tr><td>W_c (mm)</td><td>360,00</td></tr> <tr><td>H_c (mm)</td><td>370,00</td></tr> <tr><td>Outer Box Qty.(pcs.)</td><td>900</td></tr> </table>	L _c (mm)	360,00	W _c (mm)	360,00	H _c (mm)	370,00	Outer Box Qty.(pcs.)	900	<table border="1"> <tr><td>L_c (mm)</td><td>360,00</td></tr> <tr><td>W_c (mm)</td><td>360,00</td></tr> <tr><td>H_c (mm)</td><td>240,00</td></tr> <tr><td>Outer Box Qty.(pcs.)</td><td>1800</td></tr> </table>	L _c (mm)	360,00	W _c (mm)	360,00	H _c (mm)	240,00	Outer Box Qty.(pcs.)	1800
L _c (mm)	360,00																	
W _c (mm)	360,00																	
H _c (mm)	370,00																	
Outer Box Qty.(pcs.)	900																	
L _c (mm)	360,00																	
W _c (mm)	360,00																	
H _c (mm)	240,00																	
Outer Box Qty.(pcs.)	1800																	
<p>Packaging specifications for size 1510 (Table 1 section e)</p>	<table border="1"> <tr><td>L_c (mm)</td><td>360,00</td></tr> <tr><td>W_c (mm)</td><td>360,00</td></tr> <tr><td>H_c (mm)</td><td>370,00</td></tr> <tr><td>Outer Box Qty.(pcs.)</td><td>900</td></tr> </table>	L _c (mm)	360,00	W _c (mm)	360,00	H _c (mm)	370,00	Outer Box Qty.(pcs.)	900	<table border="1"> <tr><td>L_c (mm)</td><td>360,00</td></tr> <tr><td>W_c (mm)</td><td>360,00</td></tr> <tr><td>H_c (mm)</td><td>270,00</td></tr> <tr><td>Outer Box Qty.(pcs.)</td><td>900</td></tr> </table>	L _c (mm)	360,00	W _c (mm)	360,00	H _c (mm)	270,00	Outer Box Qty.(pcs.)	900
L _c (mm)	360,00																	
W _c (mm)	360,00																	
H _c (mm)	370,00																	
Outer Box Qty.(pcs.)	900																	
L _c (mm)	360,00																	
W _c (mm)	360,00																	
H _c (mm)	270,00																	
Outer Box Qty.(pcs.)	900																	



Reliability / Qualification of Change:

Product approval is according to the specification criteria and is internally released by the Product Management Department.